

EU TYPE-EXAMINATION CERTIFICATE

Regulation (EU) 2016/425, MODULE B

0598/PPE/23/3011 Issue 1

Product Safety footwear

Model L-7296, M-8377, L-7285, M-8371, L-7295

Trademark safetoe®

Certificate Holder / Manufacturer Shanghai Langfeng Industrial Co.,Ltd
Room 910, Building 6, Luxiang road 111, Shanghai, China

Product complies with the applicable essential health and safety requirements of Regulation (EU) 2016/425 and standard(s) mentioned below

Standard(s) EN ISO 20345:2011


Other Information Personal protective equipment – Safety footwear. Class I footwear, with a performance category of S3, with additional application: SRC.

Validity This certificate is valid until 2028-06-02.

Date of issue 2023-06-02

Signature 
SGS Fimko Ltd
Mikko Hirvonen
Senior Specialist

SGS Fimko Ltd is a Notified Body (0598) according to the Personal Protective Equipment Regulation (EU)



Additional information

- a) safetoe (logo) L-7296 safety low shoe: design A, black cow leather, with composite toe cap and composite insert plate, black polyester sandwich mesh vamp lining, quarter lining and counter lining, black PU tongue, black cow leather collar, black polyester / EVA insock, composite insole board, PU/PU sole, with steel eyelet and lace closure, sewn with nylon thread, which are available in size range: EUR 37-47;
- b) safetoe (logo) M-8377 safety ankle boot: design B, black cow leather, with composite toe cap and composite insert plate, black polyester sandwich mesh vamp lining, quarter lining and counter lining, black PU tongue and collar, black polyester / EVA insock, composite insole board, PU/PU sole, with steel eyelet and lace closure, sewn with nylon thread, which are available in size range: EUR 37-47;
- c) safetoe (logo) L-7285 safety low shoe: design A, black cow leather, with composite toe cap and composite insert plate, black polyester sandwich mesh vamp lining, quarter lining and counter lining, black PU tongue and collar, black polyester / EVA insock, composite insole board, PU/PU sole, with steel eyelet and lace closure, sewn with nylon thread, which are available in size range: EUR 37-47;
- d) safetoe (logo) M-8371 safety ankle boot: design B, black cow leather, with composite toe cap and composite insert plate, black polyester sandwich mesh vamp lining, quarter lining and counter lining, black PU tongue and collar, black polyester / EVA insock, composite insole board, PU/PU sole, with steel eyelet & lace closure, sewn with nylon thread, which are available in size range: EUR 37-47.
- e) safetoe (logo) L-7295 safety low shoe: design A, black cow leather, with composite toe cap and composite insert plate, black polyester sandwich mesh vamp lining, quarter lining and counter lining, black PU tongue and collar, black polyester / EVA insock, composite insole board, PU/PU sole, with steel eyelet and lace closure, sewn with nylon thread, which are available in size range: EUR 37-47.

Contract No: GSL-CERT230500053-01/ GB-202305003876.

Technical file: No. TF_L-7296 & M-8377 & L-7285 & M-8371 & L-7295, revision 1, dated: 2023/05/30

Detailed Characteristics:

- Safety footwear: L-7296: Last Reference: 522#; Mould Reference: 96#; Construction: Injection; Classification: Class I; Closure System: Lace Up; Size(s) Range: EUR 37-47
- Safety footwear: M-8377: Last Reference: 522#; Mould Reference: 96#; Construction: Injection; Classification: Class I; Closure System: Lace Up; Size(s) Range: EUR 37-47
- Safety footwear: L-7285: Last Reference: 522#; Mould Reference: 96#; Construction: Injection; Classification: Class I; Closure System: Lace Up; Size(s) Range: EUR 37-47
- Safety footwear: M-8371: Last Reference: 522#; Mould Reference: 96#; Construction: Injection; Classification: Class I; Closure System: Lace Up; Size(s) Range: EUR 37-47
- Safety footwear: L-7295: Last Reference: 522#; Mould Reference: 96#; Construction: Injection; Classification: Class I; Closure System: Lace Up; Size(s) Range: EUR 37-47

